

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AmB: Airmont-----	85	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones Droughty Gravel content Depth to saturated zone Depth to cemented pan	0.84 0.26 0.05 0.03 0.03
AmD: Airmont-----	85	Very limited Too Stony Slope	1.00 0.08	Very limited Too Stony	1.00	Very limited Slope Content of large stones Droughty Gravel content Depth to saturated zone	1.00 0.84 0.26 0.05 0.03
AnB: Andover-----	45	Very limited Depth to saturated zone Too Stony	1.00 0.53	Very limited Depth to saturated zone Too Stony	1.00 0.53	Very limited Depth to saturated zone Depth to cemented pan Droughty Content of large stones	1.00 0.90 0.88 0.08
Buchanan-----	40	Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Depth to cemented pan Content of large stones Gravel content Droughty Depth to saturated zone	0.64 0.32 0.26 0.05 0.03
At: Atkins-----	85	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
BaB: Bagtown-----	85	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones	0.97

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BaC: Bagtown-----	85	Content of large stones	0.01	Content of large stones	0.01	Gravel content	0.20
		Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones	0.97
		Water erosion Content of large stones	1.00 0.01	Water erosion Content of large stones	1.00 0.01	Slope Gravel content	0.63 0.20
BaD: Bagtown-----	85	Very limited Water erosion Too Stony	1.00 1.00	Very limited Water erosion Too Stony	1.00 1.00	Very limited Slope Content of large stones	1.00 0.97
		Slope Content of large stones	0.50 0.01	Content of large stones	0.01	Gravel content	0.20
		Very limited Water erosion Too Stony	1.00 1.00	Very limited Water erosion Too Stony	1.00 1.00	Very limited Slope Content of large stones	1.00 0.97
BbD: Bagtown-----	85	Slope Content of large stones	0.50 0.01	Content of large stones	0.01	Gravel content	0.20
		Very limited Water erosion Too Stony	1.00 1.00	Very limited Water erosion Too Stony	1.00 1.00	Very limited Slope Content of large stones	1.00 1.00
		Slope Content of large stones	0.50 0.01	Content of large stones	0.01	Gravel content	0.15
BbE: Bagtown-----	85	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Too Stony	1.00 1.00	Very limited Slope Content of large stones	1.00 1.00
		Too Stony Content of large stones	1.00 0.02	Slope Content of large stones	0.78 0.02	Gravel content	0.13
		Somewhat limited Depth to saturated zone	0.08	Somewhat limited Depth to saturated zone	0.08	Somewhat limited Flooding Depth to saturated zone	0.60 0.43
Bc: Basher-----	80						
BeB: Berks-----	80	Not limited		Not limited		Somewhat limited Droughty Depth to bedrock Gravel content Content of large stones	0.92 0.46 0.39 0.32
BeC: Berks-----	80	Not limited		Not limited		Somewhat limited Droughty Slope	0.93 0.63

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to bedrock	0.46
						Gravel content	0.39
						Content of large stones	0.32
BfB: Berks-----	50	Not limited		Not limited		Somewhat limited	
						Droughty	0.93
						Gravel content	0.55
						Depth to bedrock	0.46
						Content of large stones	0.08
Weikert-----	35	Not limited		Not limited		Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
						Gravel content	0.92
						Content of large stones	0.01
BfC: Berks-----	45	Not limited		Not limited		Somewhat limited	
						Droughty	0.95
						Slope	0.63
						Gravel content	0.55
						Depth to bedrock	0.46
						Content of large stones	0.08
Weikert-----	40	Not limited		Not limited		Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
						Gravel content	0.92
						Slope	0.63
						Content of large stones	0.01
BkB: Berks-----	35	Not limited		Not limited		Somewhat limited	
						Droughty	0.93
						Gravel content	0.55
						Depth to bedrock	0.46
						Content of large stones	0.08
Weikert-----	35	Not limited		Not limited		Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
						Gravel content	0.92
						Content of large stones	0.01
Urban Land-----	20	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BkD: Berks-----	35	Somewhat limited Slope	0.08	Not limited		Very limited Slope Droughty Gravel content Depth to bedrock Content of large stones	1.00 0.93 0.55 0.46 0.08
Weikert-----	35	Somewhat limited Slope	0.08	Not limited		Very limited Depth to bedrock Droughty Slope Gravel content Content of large stones	1.00 1.00 1.00 0.92 0.01
Urban Land-----	20	Not rated		Not rated		Not rated	
Bp: Bigpool-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
BrB: Braddock-----	45	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size	
Thurmont-----	40	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size	
BrC: Braddock-----	45	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	0.63
Thurmont-----	40	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrD: Braddock-----	45	Not Rated		Not Rated		Slope	0.63
		Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	0.50	Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	1.00
Thurmont-----	40	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	0.50	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	1.00
BtB: Brinkerton-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone pan Droughty Content of large stones	1.00 0.96 0.02 0.01
BuB: Buchanan-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Gravel content Depth to saturated zone Droughty Content of large stones	0.64 0.54 0.03 0.02 0.01
BuC: Buchanan-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Slope Gravel content Droughty Depth to saturated zone	0.64 0.63 0.54 0.17 0.03
BuD: Buchanan-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope Depth to cemented pan Gravel content Droughty	1.00 0.64 0.54 0.20

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.03
CaB: Calvin-----	85	Not limited		Not limited		Somewhat limited Depth to bedrock	0.46
						Droughty	0.05
						Content of large stones	0.03
CaC: Calvin-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
						Depth to bedrock	0.46
						Droughty	0.05
						Content of large stones	0.03
CaD: Calvin-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
						Depth to bedrock	0.46
						Droughty	0.05
						Content of large stones	0.03
CcB: Catoctin-----	45	Not limited		Not limited		Somewhat limited Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.15
Myersville-----	45	Not limited		Not limited		Not limited	
CcC: Catoctin-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
						Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.15
Myersville-----	30	Not limited		Not limited		Somewhat limited Slope	0.63
CcD: Catoctin-----	60	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
						Gravel content	0.62
						Depth to bedrock	0.46
						Content of large stones	0.20
						Droughty	0.15
Myersville-----	30	Somewhat limited		Not limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CkB: Clearbrook-----	85	Slope	0.50			Slope	1.00
		Somewhat limited Depth to saturated zone	0.11	Somewhat limited Depth to saturated zone	0.11	Somewhat limited Droughty	0.48
						Depth to saturated zone	0.48
						Depth to bedrock	0.46
Cm: Codorus-----	80					Content of large stones	0.32
		Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
Cn: Codorus-----	80					Flooding	0.60
		Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
Co: Combs-----	85					Flooding	0.60
		Not limited		Not limited			
Cp: Combs-----	85						
		Not limited		Not limited			
DaB: Dekalb-----	80						
		Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Content of large stones	0.84
						Droughty	0.70
						Depth to bedrock	0.46
DaC: Dekalb-----	80					Gravel content	0.05
		Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Somewhat limited Content of large stones	0.84
						Droughty	0.70
						Slope	0.63
DaD: Dekalb-----	80					Depth to bedrock	0.46
		Somewhat limited Too Stony	0.53	Somewhat limited Too Stony	0.53	Gravel content	0.05
		Slope	0.50				
						Very limited Slope	1.00
DeA: Dekalb-----	55					Content of large stones	0.84
		Very limited		Very limited		Droughty	0.70
						Depth to bedrock	0.46
						Gravel content	0.05

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Content of large stones	1.00	Content of large stones	1.00	Content of large stones	1.00
						Droughty	0.70
						Depth to bedrock	0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DeB: Dekalb-----	55	Very limited Content of large stones	1.00	Very limited Content of large stones	1.00	Very limited Content of large stones	1.00
						Droughty	0.70
						Depth to bedrock	0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DeC: Dekalb-----	50	Very limited Content of large stones	1.00	Very limited Content of large stones	1.00	Very limited Content of large stones	1.00
						Droughty	0.70
						Slope	0.63
						Depth to bedrock	0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DeD: Dekalb-----	45	Very limited Content of large stones	1.00	Very limited Content of large stones	1.00	Very limited Slope	1.00
		Slope	0.50			Content of large stones	1.00
						Droughty	0.70
						Depth to bedrock	0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DgF: Bagtown-----	35	Very limited		Very limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Dekalb-----	35	Slope	1.00	Water erosion	1.00	Slope	1.00
		Water erosion	1.00	Too Stony	1.00	Content of large stones	0.97
		Too Stony	1.00	Slope	1.00	Gravel content	0.20
		Content of large stones	0.01	Content of large stones	0.01		
		Very limited		Very limited		Very limited	
Rock Outcrop-----	20	Slope	1.00	Too Stony	1.00	Slope	1.00
		Too Stony	1.00	Content of large stones	1.00	Content of large stones	1.00
		Content of large stones	1.00	Slope	1.00	Droughty	0.70
DhF: Dekalb-----	35					Depth to bedrock	0.46
		Not rated		Not rated		Not rated	
Hazleton-----	30	Very limited		Very limited		Very limited	
		Slope	1.00	Content of large stones	1.00	Slope	1.00
		Content of large stones	1.00	Slope	1.00	Content of large stones	1.00
Dk: Deposit-----	80					Droughty	0.70
		Very limited		Very limited		Depth to bedrock	0.46
		Slope	1.00	Too Stony	1.00		
DkB: Deposit-----	80	Too Stony	1.00	Slope	1.00	Very limited	
		Content of large stones	0.35	Content of large stones	0.35	Slope	1.00
						Content of large stones	1.00
DoA: Downsville-----	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Depth to saturated zone	0.08	Depth to saturated zone	0.08	Droughty	0.43
						Depth to saturated zone	0.43
DkB: Deposit-----	80	Somewhat limited		Somewhat limited		Gravel content	0.25
		Too Stony	0.53	Too Stony	0.53		
		Depth to saturated zone	0.08	Depth to saturated zone	0.08	Somewhat limited	
DoA: Downsville-----	85					Droughty	0.43
						Depth to saturated zone	0.43
						Gravel content	0.13
DoA: Downsville-----	85					Content of large stones	0.08
		Not limited		Not limited			
						Somewhat limited Gravel content	0.11

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Content of large stones	0.01
DoB: Downsville-----	85	Not limited		Not limited		Somewhat limited Gravel content Content of large stones	0.11 0.01
DoC: Downsville-----	85	Not limited		Not limited		Somewhat limited Slope Gravel content Content of large stones	0.63 0.11 0.01
DoD: Downsville-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content Content of large stones	1.00 0.11 0.01
DoE: Downsville-----	85	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope Gravel content Content of large stones	1.00 0.11 0.01
DrA: Dryrun-----	85	Not limited		Not limited		Somewhat limited Gravel content Content of large stones	0.81 0.01
DrB: Dryrun-----	85	Not limited		Not limited		Somewhat limited Gravel content Content of large stones	0.81 0.01
DsA: Duffield-----	85	Not limited		Not limited		Not limited	
DsB: Duffield-----	85	Not limited		Not limited		Not limited	
DsC: Duffield-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
DsD: Duffield-----	85	Very limited Water erosion Slope	1.00 0.50	Very limited Water erosion	1.00	Very limited Slope	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DuB: Duffield-----	80	Not limited		Not limited		Not limited	
DuC: Duffield-----	80	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
DvB: Duffield-----	45	Not limited		Not limited		Not limited	
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
DvC: Duffield-----	45	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
DvD: Duffield-----	45	Very limited Water erosion Slope	1.00 0.50	Very limited Water erosion	1.00	Very limited Slope	1.00
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
Fa: Fairplay-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00
		Ponding	1.00	Ponding	1.00	Flooding	1.00
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
						Carbonate content	1.00
FO: Foxville-----	55	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Very limited Content of large stones	1.00
		Content of large stones	1.00	Content of large stones	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	0.60
Hatboro-----	40	Very limited		Very limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Flooding	0.60
Ft: Funkstown-----	80	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
HaA: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.03
HaB: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.03
HaC: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Slope Content of large stones	0.63 0.03
HaD: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Slope Content of large stones	0.63 0.03
HbB: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.03
HbC: Hagerstown-----	85	Not limited		Not limited		Somewhat limited Slope Content of large stones	0.63 0.03
HbD: Hagerstown-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope Content of large stones	1.00 0.03
HcB: Hagerstown-----	70	Not limited		Not limited		Somewhat limited Content of large stones	0.03
Rock Outcrop-----	15	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HcC: Hagerstown-----	70	Not limited		Not limited		Somewhat limited Slope Content of large stones	0.63 0.03
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
HcD: Hagerstown-----	70	Somewhat limited Slope	0.50	Not limited		Very limited Slope Content of large stones	1.00 0.03
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
HdB: Duffield-----	35	Not limited		Not limited		Not limited	
Hagerstown-----	35	Not limited		Not limited		Somewhat limited Content of large stones	0.03
Urban Land-----	20	Not rated		Not rated		Not rated	
HdD: Duffield-----	35	Very limited Water erosion Slope	1.00 0.08	Very limited Water erosion	1.00	Very limited Slope	1.00
Hagerstown-----	35	Somewhat limited Slope	0.08	Not limited		Very limited Slope Content of large stones	1.00 0.03
Urban Land-----	20	Not rated		Not rated		Not rated	
HgB: Hagerstown-----	40	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Opequon-----	30	Not limited		Not limited		Content of large stones	0.03
Rock Outcrop-----	20	Not rated		Not rated		Very limited Depth to bedrock Droughty	1.00 1.00
Hh: Hatboro-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
HnB: Hazel-----	85	Not limited		Not limited		Somewhat limited Depth to bedrock Gravel content Droughty	0.46 0.38 0.14
HnC: Hazel-----	85	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content Droughty	0.63 0.46 0.38 0.14
HnD: Hazel-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope Depth to bedrock Gravel content Droughty	1.00 0.46 0.38 0.25
HrE: Hazel-----	45	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope Depth to bedrock Gravel content Droughty	1.00 0.46 0.38 0.01
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
HsD: Hazleton-----	80	Very limited Too Stony Slope	1.00 0.50	Very limited Too Stony Content of large stones	1.00 0.35	Very limited Slope Content of large stones	1.00 1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HsE: Hazleton-----	85	Content of large stones	0.35				
		Very limited Slope Too Stony	1.00 1.00	Very limited Too Stony Slope	1.00 0.78	Very limited Slope Content of large stones	1.00 1.00
HtB: Highfield-----	85	Content of large stones	0.35	Content of large stones	0.35		
		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony	0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony	0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size	
HtC: Highfield-----	80	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony	0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony	0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	0.63
		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony Slope	0.53 0.50	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony	0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	1.00
KcB: Klinesville-----	45	Not limited		Not limited		Very limited Depth to bedrock Droughty Gravel content Content of large stones	1.00 1.00 0.92 0.01
Calvin-----	40	Not limited		Not limited		Somewhat limited Depth to bedrock Droughty Content of large stones	0.46 0.05 0.03
KcC: Klinesville-----	45	Not limited		Not limited		Very limited Depth to bedrock Droughty Gravel content Slope	1.00 1.00 0.92 0.63

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Calvin-----	40	Not limited		Not limited		Content of large stones	0.01
KcD: Klinesville-----	55	Somewhat limited Slope	0.50	Not limited		Somewhat limited Slope	0.63
						Depth to bedrock	0.46
						Droughty	0.05
						Content of large stones	0.03
Calvin-----	30	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
						Depth to bedrock	0.46
						Droughty	0.05
						Content of large stones	0.03
KcF: Klinesville-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
						Depth to bedrock	1.00
						Droughty	1.00
						Gravel content	0.92
						Content of large stones	0.01
Calvin-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
						Depth to bedrock	0.46
						Droughty	0.05
						Content of large stones	0.03
LaB: Lantz-----	50	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Depth to saturated zone Too Stony	1.00 1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Depth to saturated zone Too Stony	1.00 1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Depth to saturated zone	1.00
Rohrersville-----	40	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Depth to saturated zone	0.94
		Depth to saturated zone	0.86	Depth to saturated zone	0.86	Content of large stones	0.32

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Gravel content	0.26
Lb: Lappans-----	85	Not limited		Not limited		Very limited Carbonate content Flooding	1.00 0.60
Ln: Lindside-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding Depth to saturated zone	1.00 0.03
Me: Melvin-----	85	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
MgA: Monongahela-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MgB: Monongahela-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MgC: Monongahela-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to saturated zone	0.63 0.03
MgD: Monongahela-----	85	Very limited Water erosion Slope	1.00 0.50	Very limited Water erosion	1.00	Very limited Slope Depth to saturated zone	1.00 0.03
MhA: Monongahela-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone Content of large stones	0.03 0.03
MhB: Monongahela-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone Content of large stones	0.03 0.03
MhC: Monongahela-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.03
						Content of large stones	0.03
MkB: Mt. Zion-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.05
MkC: Mt. Zion-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Content of large stones	0.63 0.05
MmA: Mt. Zion-----	45	Not limited		Not limited		Somewhat limited Content of large stones	0.05
Rohrersville-----	45	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
MoB: Murrill-----	85	Not limited		Not limited		Not limited	
MoC: Murrill-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
MsB: Murrill-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.41
MsC: Murrill-----	85	Not limited		Not limited		Somewhat limited Slope Gravel content	0.63 0.41
MsD: Murrill-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content	1.00 0.41
MuB: Murrill-----	45	Not limited		Not limited		Somewhat limited Gravel content	0.41
Urban Land-----	45	Not rated		Not rated		Not rated	
MuD: Murrill-----	45	Somewhat limited		Not limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.08			Slope Gravel content	1.00 0.41
Urban Land-----	45	Not rated		Not rated		Not rated	
MvB: Myersville-----	90	Not limited		Not limited		Not limited	
MvC: Myersville-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
MwB: Myersville-----	85	Not limited		Not limited		Not limited	
MwC: Myersville-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
MwD: Myersville-----	80	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
NoB: Nollville-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.50
NoC: Nollville-----	85	Not limited		Not limited		Somewhat limited Slope Gravel content	0.63 0.50
NoD: Nollville-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content	1.00 0.50
OpA: Opequon-----	85	Not limited		Not limited		Very limited Depth to bedrock Droughty	1.00 1.00
OpB: Opequon-----	85	Not limited		Not limited		Very limited Depth to bedrock Droughty	1.00 1.00
OpC: Opequon-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Very limited Depth to bedrock Droughty Slope	1.00 1.00 0.63

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OrB: Opequon-----	45	Not limited		Not limited		Very limited Depth to bedrock Droughty	1.00 1.00
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
OrC: Opequon-----	45	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Very limited Depth to bedrock Droughty Slope	1.00 1.00 0.63
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
OrD: Opequon-----	45	Very limited Water erosion Slope	1.00 0.50	Very limited Water erosion	1.00	Very limited Depth to bedrock Slope Droughty	1.00 1.00 1.00
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
OrF: Opequon-----	45	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Slope	1.00 1.00	Very limited Depth to bedrock Slope Droughty	1.00 1.00 1.00
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
PaB: Pecktonville-----	85	Not limited		Not limited		Somewhat limited Gravel content Content of large stones	0.26 0.05
PaC: Pecktonville-----	85	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope Gravel content Content of large stones	0.63 0.26 0.05
PaD: Pecktonville-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content Content of large stones	1.00 0.26 0.05
PcB: Pecktonville-----	85	Somewhat limited Content of large stones	0.01	Somewhat limited Content of large stones	0.01	Somewhat limited Content of large stones Gravel content	0.95 0.02
PcC: Pecktonville-----	85	Somewhat limited Content of large stones	0.01	Somewhat limited Content of large stones	0.01	Somewhat limited Content of large stones Slope Gravel content	0.95 0.63 0.02
PcD: Pecktonville-----	85	Somewhat limited Slope Content of large stones	0.50 0.01	Somewhat limited Content of large stones	0.01	Very limited Slope Content of large stones Gravel content	1.00 0.95 0.02
PeE: Pecktonville-----	55	Very limited Slope Content of large stones	1.00 0.01	Somewhat limited Slope Content of large stones	0.78 0.01	Very limited Depth to bedrock Slope Droughty Content of large stones Gravel content	1.00 1.00 1.00 0.95 0.13
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
Pg: Philo-----	85	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.03
Ph: Philo-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.03
						Content of large stones	0.01
Pn: Pope-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
Po: Pope-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Flooding	0.60
Qa: Quarry-----	100	Not rated		Not rated		Not rated	
Qm: Quarry-----	100	Not rated		Not rated		Not rated	
Qr: Quarry-----	100	Not rated		Not rated		Not rated	
Qs: Quarry-----	100	Not rated		Not rated		Not rated	
RaC: Ravenrock-----	85	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones Gravel content Slope	0.38 0.24 0.04
RaD: Ravenrock-----	85	Very limited		Very limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RcC: Ravenrock-----	45	Too Stony Slope	1.00 0.50	Too Stony	1.00	Slope Content of large stones Gravel content	1.00 0.38 0.24
		Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones Gravel content Slope	0.38 0.24 0.04
		Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Depth to saturated zone Content of large stones Gravel content Slope	0.94 0.32 0.26 0.04
ReC: Highfield-----	40	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony	0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony	0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	0.63
Ravenrock-----	40	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Slope Content of large stones Gravel content	0.63 0.38 0.24
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReD: Highfield-----	40	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony Slope	0.53 0.50	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Too Stony	0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	1.00
Ravenrock-----	40	Very limited Too Stony Slope	1.00 0.50	Very limited Too Stony	1.00	Very limited Slope Content of large stones Gravel content	1.00 0.38 0.24
Rock Outcrop-----	10	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ReF: Highfield-----	40	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope Too Stony	1.00 0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope Too Stony	1.00 0.53	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	1.00
Ravenrock-----	40	Very limited Slope Too Stony	1.00 1.00	Very limited Too Stony Slope	1.00 1.00	Very limited Slope Content of large stones Gravel content	1.00 0.38 0.24
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
RhB: Rohrersville-----	55	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Lantz-----	40	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Depth to saturated zone	1.00	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Depth to saturated zone	1.00
RmB: Ryder-----	55	Not limited		Not limited		Somewhat limited Depth to bedrock Gravel content	0.26 0.18
Duffield-----	40	Not limited		Not limited		Not limited	
RmC: Ryder-----	55	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content	0.63 0.26 0.18
Duffield-----	40	Not limited		Not limited		Somewhat limited Slope	0.63

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RmD: Ryder-----	50	Somewhat limited Slope	0.50	Not limited		Very limited Slope Depth to bedrock Gravel content	1.00 0.26 0.18
Duffield-----	35	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
RnB: Ryder-----	55	Not limited		Not limited		Somewhat limited Depth to bedrock Gravel content	0.26 0.18
Nollville-----	40	Not limited		Not limited		Somewhat limited Gravel content	0.50
RnC: Ryder-----	55	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content	0.63 0.26 0.18
Nollville-----	40	Not limited		Not limited		Somewhat limited Slope Gravel content	0.63 0.50
RnD: Ryder-----	60	Somewhat limited Slope	0.50	Not limited		Very limited Slope Depth to bedrock Gravel content	1.00 0.26 0.18
Nollville-----	30	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content	1.00 0.50
RvC: Ryder-----	55	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content	0.63 0.46 0.41
Nollville-----	40	Not limited		Not limited		Somewhat limited Slope Gravel content	0.63 0.50
RyB: Ryder-----	45	Not limited		Not limited		Somewhat limited Depth to bedrock Gravel content	0.46 0.41
Rock Outcrop-----	40	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RyC: Ryder-----	45	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Gravel content	0.63 0.46 0.41
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
RyD: Ryder-----	45	Somewhat limited Slope	0.50	Not limited		Very limited Slope Depth to bedrock Gravel content	1.00 0.46 0.41
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
SdB: Sideling-----	85	Not limited		Not limited		Somewhat limited Gravel content	0.59
SdC: Sideling-----	85	Not limited		Not limited		Somewhat limited Slope Gravel content	0.63 0.59
SdD: Sideling-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content	1.00 0.59
SgB: Sideling-----	85	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Content of large stones Gravel content	0.46 0.21
SgC: Sideling-----	85	Very limited Too Stony	1.00	Very limited Too Stony	1.00	Somewhat limited Slope Content of large stones Gravel content	0.63 0.46 0.21
SgD: Sideling-----	85	Very limited Too Stony Slope	1.00 0.50	Very limited Too Stony	1.00	Very limited Slope Content of large stones	1.00 0.46

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Gravel content	0.21
SpA: Swanpond-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.01
SpB: Swanpond-----	85	Not limited		Not limited		Somewhat limited Content of large stones	0.01
SsA: Swanpond-----	60	Not limited		Not limited		Somewhat limited Content of large stones	0.01
Funkstown-----	35	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
SuA: Funkstown-----	35	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Swanpond-----	35	Not limited		Not limited		Somewhat limited Content of large stones	0.01
Urban Land-----	20	Not rated		Not rated		Not rated	
TaB: Talladega-----	80	Not limited		Not limited		Somewhat limited Gravel content Depth to bedrock Droughty	0.85 0.46 0.01
TaC: Talladega-----	80	Not limited		Not limited		Somewhat limited Gravel content Slope Depth to bedrock Droughty	0.85 0.63 0.46 0.01
TaD: Talladega-----	80	Somewhat limited Slope	0.50	Not limited		Very limited Slope Gravel content Depth to bedrock Droughty	1.00 0.85 0.46 0.01
ThB: Thurmont-----	85	Not Rated		Not Rated		Not Rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ThC: Thurmont-----	85	Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated; Surface Fragments > 75mm Not Rated; Sieve size	
ThD: Thurmont-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	0.63
TrA: Trego-----	85	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	0.50	Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size		Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Slope	1.00
TrB: Trego-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Droughty Depth to saturated zone Content of large stones	0.84 0.05 0.03 0.01
TrC: Trego-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Droughty Depth to saturated zone Content of large stones	0.84 0.05 0.03 0.01
TrC: Trego-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Depth to cemented pan Slope Droughty Depth to saturated zone Content of large stones	0.84 0.63 0.05 0.03 0.01
TyA: Tyler-----	85	Somewhat limited		Somewhat limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.86	Depth to saturated zone	0.86	Depth to saturated zone	0.94
TyB: Tyler-----	85	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Ud: Udorthents-----	100	Not limited		Not limited		Not limited	
UrB: Urban Land-----	55	Not rated		Not rated		Not rated	
UrD: Urban Land-----	55	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WaA: Walkersville-----	85	Not limited		Not limited		Not limited	
WaB: Walkersville-----	85	Not limited		Not limited		Not limited	
WaC: Walkersville-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
WcA: Walkersville-----	85	Not limited		Not limited		Not limited	
WcB: Walkersville-----	85	Not limited		Not limited		Not limited	
WcC: Walkersville-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
WeB: Weikert-----	85	Not limited		Not limited		Very limited Depth to bedrock Droughty	1.00 1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeC: Weikert-----	85	Not limited		Not limited		Gravel content	0.84
						Content of large stones	0.54
						Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
WeD: Weikert-----	85	Somewhat limited Slope	0.50	Not limited		Gravel content	0.84
						Slope	0.63
						Content of large stones	0.54
						Very limited	
						Depth to bedrock	1.00
WeF: Weikert-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Slope	1.00
						Droughty	1.00
						Gravel content	0.84
						Content of large stones	0.54
						Very limited	
WkB: Berks-----	40	Not limited		Not limited		Somewhat limited	
						Droughty	0.93
						Gravel content	0.55
						Depth to bedrock	0.46
						Content of large stones	0.08
Weikert-----	40	Not limited		Not limited		Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
						Gravel content	0.92
						Content of large stones	0.01
WkC: Weikert-----	50	Not limited		Not limited		Very limited	
						Depth to bedrock	1.00
						Droughty	1.00
						Gravel content	0.92
						Slope	0.63
Berks-----	40	Not limited		Not limited		Content of large stones	0.01
						Somewhat limited	
						Droughty	0.95
						Slope	0.63
						Gravel content	0.55

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WkD: Weikert-----	50	Somewhat limited Slope	0.50	Not limited		Depth to bedrock	0.46
						Content of large stones	0.08
Berks-----	35	Somewhat limited Slope	0.50	Not limited		Very limited	
						Depth to bedrock	1.00
WrC: Weverton-----	80	Somewhat limited Content of large stones	0.88	Somewhat limited Content of large stones	0.88	Slope	1.00
						Droughty	0.97
WrD: Weverton-----	85	Somewhat limited Content of large stones	0.88	Somewhat limited Content of large stones	0.88	Gravel content	0.55
						Depth to bedrock	0.46
WrE: Weverton-----	85	Very limited Slope	1.00	Somewhat limited Content of large stones	0.88	Content of large stones	0.08
						Droughty	0.95
WuB: Wurno-----	50	Not limited		Not limited		Slope	0.63
Nollville-----	40	Not limited		Not limited		Very limited	
						Slope	1.00
WuC: Wurno-----	60	Not limited		Not limited		Content of large stones	1.00
						Droughty	0.95
						Somewhat limited	
						Droughty	0.85
						Depth to bedrock	0.46
						Gravel content	0.01
						Somewhat limited	
						Gravel content	0.50
						Somewhat limited	
						Droughty	0.85
						Slope	0.63
						Depth to bedrock	0.46

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Nollville-----	40	Not limited		Not limited		Gravel content	0.01
						Somewhat limited	
						Slope	0.63
						Gravel content	0.50
WuD: Wurno-----	50	Somewhat limited Slope	0.50	Not limited		Very limited	
						Slope	1.00
						Droughty	0.85
						Depth to bedrock	0.46
						Gravel content	0.01
Nollville-----	40	Somewhat limited Slope	0.50	Not limited		Very limited	
						Slope	1.00
						Gravel content	0.50
WuE: Wurno-----	50	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited	
						Slope	1.00
						Droughty	0.94
						Depth to bedrock	0.46
						Gravel content	0.01
Nollville-----	35	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited	
						Slope	1.00
						Gravel content	0.50

